Precision Films

P

Anti-microbial Matt (Thermal)

27 Micron



Matt film with anti-viral and anti-bacterial properties

SPECIAL FEATURES

- **Anti-Viral**. It reduces the presence of Coronavirus by **73%** after 12 hours.
- **Anti-bacterial**. It reduces the presence of bacteria by **99%** after 24 hours.
- Products or surfaces that are laminated with this prevent the growth and colonization of microbes.
- -Same dead matt finish with excellent clarity.

TYPICAL APPLICATIONS

- Hospital material
- Children's books
- Restaurant menus

Properties	Unit	Value
Thickness	μm	27
Yield	m ₂ /kg	42.7
Gloss	%	6
Dyne Level	cm / Dyne	39
Application Temperature	°C	95-115

^{*}Tests carried out by independent laboratories according to IDO 21702 & 22196*

Precision Films

B

Antimicrobial Matt (Digi-Stick)

27 Micron



Matt film with anti-viral and anti-bacterial properties

SPECIAL FEATURES

- **Anti-Viral**. It reduces the presence of Coronavirus by **73%** after 12 hours.
- **Anti-bacterial.** It reduces the presence of bacteria by **99%** after 24 hours.
- Products or surfaces that are laminated with this prevent the growth and colonization of microbes.
- -Same dead matt finish with excellent clarity.

TYPICAL APPLICATIONS

- Hospital material
- Children's books
- Restaurant menus

Properties	Unit	Value
Thickness	μm	27
Yield	m ₂ / kg	42.7
Gloss	%	6
Dyne Level	cm / Dyne	39
Application Temperature	°C	95-115

^{*}Tests carried out by independent laboratories according to IDO 21702 & 22196*

Precision Films

Antimicrobial Matt (Wet)

15 Micron





Matt film with anti-viral and anti-bacterial properties

SPECIAL FEATURES

- **Anti-Viral**. It reduces the presence of Coronavirus by **73%** after 12 hours.
- **Anti-bacterial**. It reduces the presence of bacteria by **99%** after 24 hours.
- Products or surfaces that are laminated with this prevent the growth and colonization of microbes.
- -Same dead matt finish with excellent clarity.

TYPICAL APPLICATIONS

- Hospital material
- Children's books
- Restaurant menus

Properties	Unit	Value
Thickness	μm	15
Yield	m ₂ / kg	79.4
Gloss	%	9
Dyne Level	cm / Dyne	39
Application Temperature	°C	-

^{*}Tests carried out by independent laboratories according to IDO 21702 & 22196*